

Trailer Generator System 10-85 KVA



www.jcbenergy.es

JCBENERGY GENERATOR FACTORY

JCBENERGY SUCCESS STORY

Electricity has kept its importance since the first day it was discovered. Being dominated by technology, today's world has reached phenomenal speeds that do not allow tolerating even an instantaneous power outage. Through this progress, generator becomes a need more than a luxury. Jcbenergy's trailer system generators are engineered to reliably power your application while protecting your team, your equipment and your working environment. From events and disaster recovery to mining, roadwork and large industrial facilities, Jcbenergy's extensive line of generators is performance driven. This includes use in extreme conditions. That is why we have become the preferred supplier of mobile generators. Our complete range delivers when it counts the most with a host of benefits for rental fleets and end users, including:

- A user-friendly design with simple operation.
- The quietest in-class generators for the most sound-sensitive applications.
- An intuitive control panel that is telematics ready and features diagnostics capability.
- Several factory-installed options, including: positive air shut-off for oil and gas, three-way fuel valve for auxiliary fuel tanks ,,
- Availability is never a question with Jcbenergy. We are ready to ship with a wide array of in-stock machines, as you need them.

OPTIONS - 1

- Double-braked torsion / scissor-necked
- Mechanical side support feet
- Mounting rings on the stand / side
- Hydraulic bushing for easy tool loading
- Upper platform open bridge ramp
hair or indoorplywood
- Side flaps can be opened / fixed or
without flaps
- With fixed ramp / with modular ramp
- Hot dip galvanized
- 2 layers epoxy primer painted on top
coat
- O1 -O2 type approval certificate



OPTIONS - 2



- Double-braked torsion / scissor-necked
- Mechanical side support feet
- Mounting rings on the stand / side
- Upper platform flat sheet, pebble sheet or playwood
- Hot dip galvanized
- 2 layers epoxy primer painted on top coat
- O1 - O2 type approval certificate





OPTIONS - 3

- Double-braked torsion / scissor-necked
- Mechanical side support feet
- Upper platform sheet or plywood
- 2 layers epoxy primer painted on top coat
- Upper platform flat sheet, pebble sheet or plywood
- Superstructure coating GRP (glass fiber reinforced polyester),
- Superstructure Sandwich panel
- Superstructure Coating Aluminum,
- Superstructure covering sliding curtain
- O1-O2 Type approval certificate





JCBENERGY GENERATOR TRAILER SYSTEM



OPTIONS - 4

- Double-braked torsion / scissor-necked
- Mechanical side support feet
- Upper platform sheet or plywood
- Hot dip galvanized
- 2 layers epoxy primer painted on top coat
- O1-O2 type approval certificate





2 YEAR WARENTY

GENERATORS WARRANTY TWO (2) YEAR OR 1500 HOURS, WHICH IS FULL EARLY.

