



# JCB ENERGY ELECTRIC POWER INDUSTRY

**MADRID / SPAIN**





### Pump

<b>Inlet – Outlet diameter</b>	(mm-inc)	100–4"
<b>Total Head Mass</b>	(mss)	26
<b>Suction Head</b>	(m)	8
<b>Max. Pumping Capacity</b>	(m <sup>3</sup> /h)	96
<b>Self Priming Time</b>	(4 mt/sec)	180

### Engine

<b>Model</b>	JBE 177 F	
<b>Type</b>	Air Cooled- 4 Stroke- OHV 25°- Single Cylinder	
<b>Bore x Stroke</b>	77mm x 58mm	
<b>Displacement</b>	(cm <sup>3</sup> )	270
<b>Compression Ratio</b>	8.2:1	
<b>Max. Power Output</b>	9 HP /3600 rpm	
<b>Start Model</b>	Recoil	
<b>Air Cleaner</b>	Dry Type	
<b>Fuel Tank Capacity</b>	(lt)	6
<b>Fuel Consumption</b>	(g-Kw-h)	374
<b>Continuous Operating Hours</b>	(hr)	1.1
<b>Oil Capacity</b>	(lt)	2
<b>Oil Alert</b>	✓	
<b>Noise level (dBA @ 7mt.)</b>	80	

### Dimensions

<b>Length</b>	(mm)	670
<b>Width</b>	(mm)	440
<b>Height</b>	(mm)	540
<b>Dry Weight</b>	(kg)	50





[www.jcbenergy.es](http://www.jcbenergy.es)